



Cable support systems

Cable tray LKS

The cable tray is fastened to the bracket with screws, type FRS M6 x 12.

LKS 60 = light-duty cable tray system with 60 mm side height.



Type	Width mm	Plate thickness mm	Pack. m	Weight kg/100 m	Item No.	Shopping list
LKS 605 FS	50	0,75	2	104,000	6048850	
LKS 610 FS	100	0,75	2	134,650	6048854	
LKS 615 FS	150	0,75	2	161,050	6048860	
LKS 620 FS	200	0,75	2	187,200	6048870	
LKS 630 FS	300	0,75	2	241,200	6048889	
LKS 640 FS	400	0,9	2	353,500	6048897	

St Steel

FS Strip-galvanised

Dimensions

Type	Length mm	Width mm	Useful cross- section cm ²	Dimen- sion x mm	Dimen- sion y mm
LKS 605 FS	2000	50	28	0	25
LKS 610 FS	2000	100	58	0	50
LKS 615 FS	2000	150	88	50	100
LKS 620 FS	2000	200	118	100	150
LKS 630 FS	2000	300	178	200	250
LKS 640 FS	2000	400	238	300	350

Technical information

Invitations to tender	Declaration of conformity	Technical documents	3D product data	Certificates
LKS 605 FS / 6048850				
LKS 610 FS / 6048854				
LKS 615 FS / 6048860				
LKS 620 FS / 6048870				
LKS 630 FS / 6048889				
LKS 640 FS / 6048897				

Additional information

Catalogue

Brochure

