

Oprawa ścienna-sufitowa



[V] 220-240 AC	[Hz] 50/60	 JDR	 GU10	 ⏏	IP 20	 m
 5÷25	 m	 310	 90	 m	 1-2,5	 0,5m
 m						



28760	ENALI EL-10 W	max 35	biały
28761	ENALI EL-10 B	max 35	czarny
28762	ENALI EL-2I W	2 x max 35	biały
28763	ENALI EL-2I B	2 x max 35	czarny
28764	ENALI EL-3O W	3 x max 35	biały
28765	ENALI EL-3O B	3 x max 35	czarny
28766	ENALI EL-3I W	3 x max 35	biały
28767	ENALI EL-3I B	3 x max 35	czarny
28768	ENALI EL-4I W	4 x max 35	biały
28769	ENALI EL-4I B	4 x max 35	czarny



- Materiał obudowy: stal
- Materiał klosza: stal



ENALI EL-10 W



ENALI EL-10 B




ENALI EL-21 W



ENALI EL-21 B




ENALI EL-30 W




ENALI EL-30 B



ENALI EL-31 W




ENALI EL-31 B




ENALI EL-4I W


ENALI EL-4I B




ENALI EL-10




ENALI EL-2I



ENALI EL-3O



ENALI EL-3I



ENALI EL-4I